
Profile	Brackets	Connecting pieces
PNR-05500	B1-R B750-R B0-60 (adjustable angle)	K1-R K4-R
PNR-05515/*	B1-R B2-S-733-R B2-SO-733-R B7-R B7-R	K2-R / K3-R
PNR-05532/*	B2-R B2-SO-R	K5-R
PNR-05554/*	B2-R B2-SO-R	K4-R
PNR-05500-B	B1-R B75O-R B7-R B0-60 (adjustable angle)	K2-R / K3-R
PNR-05532-B/*	B2-S-733-R B2-SO-733-R	K5-R
PNR-11154/*	B8-R / B8SO-R	K5-R
PNR-07500	B1-R B3-R B7-R	K2-R / K3-R K1-R
PNHR-05500	B14 B24 B5K B35 B35-C	K7-R
PNHR-096	B14 B24 BSK B35 B35-C	K9-R

^{*} Indicated brackets for profiles with cable gutter apply, regardless of the indicated amount of spacers on the profile (PNR-.../0~/1~/2).

Note: applicability of bracket may vary, depending on the surrounding, light line configuration, light line application and/ or IP-class.

Note: K4-R and K5-R brackets are available in various lenghts, so the amount of used screws may vary from illustrated as above.

CLEVER SWIFT SOLID



^{*} Indicated brackets for profiles with cable gutter apply, regardeless of the indicated amount of spacers on the profile (PNR-.../0~/1~/2).

Note: applicability of bracket may vary, depending on the surrounding, light line configuration, light line application and/ or IP-class.

Note: K4-R and K5-R brackets are available in various lengths, so the amount of used screws may vary from illustrated as above.

CLEVER SWIFT SOLID

Profile	Brackets			Connection pieces
PWR-05500	B3-R	B750-R	87-R	
PWR-05500-B	B3-R	B750-R	B7-R	K3-R

Note: applicability of bracket may vary, depending on the surrounding, light line configuration, light line application and/ or IP-class.